mypage⁺

Broadcast Messaging System

MADE IN ITALY





MYPAGE+




BROADCAST MESSAGING SYSTEM FOR CONTAMINATION CONTROLLED ENVIRONMENTS

AM Instruments introduces MyPage+, the only device on the market capable of simultaneously broadcasting date and time, text messages, images and videos.

THE SIMPLE AND INTUITIVE INTERFACE OF MYPAGE+ FACILITATES MULTIPLE DEVICE MANAGEMENT.





MULTIPLE MANAGEMENT

Each device is identified via unique and customizable • display of scheduled or instant messages ID. Possibility to manage independently multiple devices • display of company sync timing with NTP (Network placed in different areas of the plant.

ORGANIZING MESSAGES

- MyPage+ is run directly via a computer connected to the network with a web interface
- A library of customizable templates is available on the frequency content

FUNCTIONS

- Time Protocol)
- display of videos, images and text
- user-friendly content management
- management software accessible from any computer on the network
- different levels of authorization for device management
- display of emergency messages with priority over other content
- web interface. You can define flexibility of duration and connection to SCADA management system to visualize parameters as temperature, differential room pressure, relative humidity, particle counting, alarms, etc.

TECHNICAL DATA		
	HANGING*	BUILT-IN
external dimensions (wxhxl)	260 x 180 (+ 63 mm/tri-clamp) x 46 mm	247 x 167 x 38 mm
supply voltage	12V dc	
network connection	RJ45	
mechanical connection	tri-clamp 1 1/2"	
display	TFT-LCD 1280x800 - 10.1" 262K colors anti-glare viewing angle 85° offset in every direction	

MyPage+ is available in built-in and hanging models.





